

CYPRESS HEMP LLC

10771 Perkins Rd

Suite A

BATON ROUGE, LA 70810



20mg 1:25 THC Gummies (Strawberry)

Total Sample Received: 75g

Total Units Received: 1

Date Sampled: 07/02/2026

Date Received: 07/02/2026

Date Reported: 07/03/2026

Sample ID: T6G0084-01 CCB ID: Lot 1542/253

Matrix: Edibles

Safety Summary**Foreign
Materials**
NOT TESTED**Heavy Metals**
NOT TESTED**Microbials**
NOT TESTED**Moisture
Content**
NOT TESTED**Mycotoxins**
NOT TESTED**Pesticides**
NOT TESTED**Residual
Solvents**
NOT TESTED**Terpenes**
NOT TESTED**Water
Activity**
NOT TESTED**Vitamins
Supplements**
NOT TESTED**Potency Summary****Cannabinoids**

Date Prepared: 07/03/2026 07:51

Prep ID: 4599

Specimen Wt: 7.439 g

Date Analyzed: 07/03/2026 14:25

Analyst ID: 5047

Instrument: HPLC VWD

Lab Batch: 2627113

Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results		mg/Serving	mg/Unit
		%		mg	mg
Cannabichromene (CBC)	1	0.00306		0.23	N/A
Cannabidiol (CBD)	100	6.73		505	N/A
Cannabidiolic acid (CBDA)	1	ND		ND	N/A
Cannabidivarin (CBDV)	1	0.0284		2.13	N/A
Cannabigerol (CBG)	1	ND		ND	N/A
Cannabigerolic acid (CBGA)	1	ND		ND	N/A
Cannabinol (CBN)	1	0.00622		0.47	N/A
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND		ND	N/A
d9 - Tetrahydrocannabinoid (d9-THC)	100	0.264		19.8	N/A
d9 - Tetrahydrocannabinolic acid (THCA)	1	0.000954		0.07	N/A
Tetrahydrocannabivarin (THCV)	1	ND		ND	N/A
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND		ND	N/A
Total THC		0.265		19.9	0.000
Total CBD		6.73		505	0.000
Total Cannabinoids		7.03		527	0.000

Total THC = THCa * 0.877 + d9-THC. Total CBD = CBDa * 0.877 + CBD.

Serving Size: 7.5 g

mg/Unit = Unit Weight g * Total THC/CBD mg/g

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.comBrian C. Spann
Laboratory Director



Certificate of Analysis

Compliance Test

Client Information:

CYPRESS HEMP LLC
10771 Perkins Rd
Suite A
BATON ROUGE, LA 70810

Batch # 1542 - 253
Batch Date: 2026-06-11
Extracted From: Hemp

Test Reg State: Louisiana

Order # CYP260708-010005
Order Date: 2026-07-08
Sample # AAHV323

Sampling Date: 2026-07-08
Lab Batch Date: 2026-07-08
Completion Date: 2026-07-13

Initial Gross Weight: 147.500 g

Serving Number: 15.00000



Product Image



Heavy Metals
Passed



Pesticides
Passed



Residual Solvents
Passed



Pathogenic Microbiology
Passed



Microbiology (qPCR)
Passed

Total Yeast and Mold - LA

Specimen Weight: 487.900 mg

Dilution Factor: 8.000

Passed
SOP13.017 (qPCR)

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Total Yeast/Mold	16	10000	<LOQ


Pathogenic Microbiology SAE (MicroArray)

Specimen Weight: 1033.200 mg

Dilution Factor: 1.000

Passed
SOP13.019 (Micro Array)

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Delta-9 THC = Delta-9 THC + THCA, Total Active THC = Total Delta-9 THC + Delta-10a-THC + Delta-8 THC + Delta-10 THC + Delta-8 THC-O-Acetate + THC-O-Acetate + Delta-10 THC-O-Acetate, Total THCV = THCV + (THCVA * 0.877), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604. Failed - Analyte/microbe is at the level that equal or above the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604 The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

Compliance Test

Client Information:

CYPRESS HEMP LLC
10771 Perkins Rd
Suite A
BATON ROUGE, LA 70810

Batch # 1542 - 253
Batch Date: 2026-06-11
Extracted From: Hemp

Test Reg State: Louisiana

Order # CYP260708-010005
Order Date: 2026-07-08
Sample # AAHV323

Sampling Date: 2026-07-08
Lab Batch Date: 2026-07-08
Completion Date: 2026-07-13

Initial Gross Weight: 147.500 g
Serving Number: 15.00000



Heavy Metals - LA

Specimen Weight: 256.500 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 194.932

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Arsenic (As)	.00483	0.1	10	<LOQ	Lead (Pb)	0.0058	0.1	10	<LOQ
Cadmium (Cd)	.00064	0.1	4.1	<LOQ	Mercury (Hg)	.01176	0.1	2	<LOQ




Residual Solvents - LA (CBD)

Specimen Weight: 16.400 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.009	0.16	8	<LOQ	Heptane	0.001	1.39	500	<LOQ
1,2-Dichloroethane	0.000	0.04	5	<LOQ	Hexane	0.068	1.17	10	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.005	1.39	500	<LOQ
Acetonitrile	0.060	1.17	410	<LOQ	Methanol	0.001	0.69	3000	28.7
Benzene	0.000	0.02	1	<LOQ	Methylene chloride	0.003	2.43	600	<LOQ
Butanes	0.417	2.5	800	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.000	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.002	2.78	5000	<LOQ	Toluene	0.001	2.92	1	<LOQ
Ethyl Acetate	0.001	1.11	5000	<LOQ	Total Xylenes	0.000	2.92	1	<LOQ
Ethyl Ether	0.005	1.39	5000	<LOQ	Trichloroethylene	0.001	0.49	80	<LOQ
Ethylene Oxide	0.004	0.1	5	<LOQ					



Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

Compliance Test

Client Information:

CYPRESS HEMP LLC
10771 Perkins Rd
Suite A
BATON ROUGE, LA 70810

Batch # 1542 - 253
Batch Date: 2026-06-11
Extracted From: Hemp

Test Reg State: Louisiana

Order # CYP260708-010005
Order Date: 2026-07-08
Sample # AAHV323

Sampling Date: 2026-07-08
Lab Batch Date: 2026-07-08
Completion Date: 2026-07-13

Initial Gross Weight: 147.500 g
Serving Number: 15.00000



Pesticides - LA


Specimen Weight: 588.600 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.550

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Abamectin	4.3500E-4	0.009	0.3	<LOQ	Hexythiazox	4.5000E-5	0.0096	2	<LOQ
Acephate	4.6700E-4	0.0096	5	<LOQ	Imazail	6.3900E-4	0.0096	0	<LOQ
Acequinocyl	8.0100E-4	0.0096	4	<LOQ	Imidacloprid	1.5900E-4	0.0096	3	<LOQ
Acetamiprid	8.0000E-5	0.0096	5	<LOQ	Kresoxim Methyl	2.6800E-4	0.0096	1	<LOQ
Aldicarb	1.2400E-4	0.0096	0	<LOQ	Malathion	4.1000E-4	0.0096	5	<LOQ
Azoxystrobin	6.8300E-4	0.0096	40	<LOQ	Metaxyl	7.4900E-4	0.0096	15	<LOQ
Bifenazate	8.2000E-5	0.0096	5	<LOQ	Methiocarb	9.9000E-5	0.0096	0	<LOQ
Bifenthrin	1.2100E-4	0.0096	0.5	<LOQ	Methomyl	1.2100E-4	0.0096	0.1	<LOQ
Boscalid	1.5300E-4	0.0096	10	<LOQ	methyl-Parathion	3.0650E-3	0.0096	0	<LOQ
Captan	8.9660E-3	0.048	5	<LOQ	Mevinphos	1.3700E-3	0.0096	1	<LOQ
Carbaryl	1.1800E-4	0.0096	0.5	<LOQ	Myclobutanil	5.7100E-4	0.0096	9	<LOQ
Carbofuran	1.7800E-4	0.0096	0	<LOQ	Naled	8.3000E-5	0.0096	0.5	<LOQ
Chlorantraniliprole	5.2000E-5	0.0096	40	<LOQ	Oxamyl	1.2300E-4	0.0096	0.2	<LOQ
Chlorfenapyr	3.1210E-3	0.0096	0.1	<LOQ	Paclobutrazol	1.2300E-4	0.0096	0	<LOQ
Chlorpyrifos	2.7100E-4	0.0096	0	<LOQ	Pentachloronitrobenzen (Quintozone)	5.1400E-3	0.0096	0.2	<LOQ
Clofentazine	1.1900E-4	0.0096	0.5	<LOQ	Permethrin	7.1800E-4	0.0096	20	<LOQ
Coumaphos	1.2900E-4	0.0096	0	<LOQ	Phosmet	3.0100E-4	0.0096	0.2	<LOQ
Cyfluthrin	7.7300E-3	0.048	1	<LOQ	Piperonylbutoxide	2.1700E-4	0.0096	8	<LOQ
Cypermethrin	8.8700E-4	0.0096	1	<LOQ	Prallethrin	1.3650E-3	0.0096	0.4	<LOQ
Daminozide	1.7970E-3	0.0096	0	<LOQ	Propiconazole	2.5900E-4	0.0096	20	<LOQ
Diazinon	1.3280E-3	0.0096	0.2	<LOQ	Propoxur	1.4700E-4	0.0096	0	<LOQ
Dichlorvos	4.6500E-4	0.0096	0	<LOQ	Pyrethrins	2.5600E-4	0.0014	1	<LOQ
Dimethoate	3.6600E-4	0.0096	0	<LOQ	Pyridaben	5.9000E-5	0.0096	3	<LOQ
Dimethomorph	2.7200E-4	0.0096	20	<LOQ	Spinetoram	3.4600E-4	0.0096	3	<LOQ
Ethoprophos	1.9200E-4	0.0096	0	<LOQ	Spinosad	2.8000E-5	0.00239	3	<LOQ
Etofenprox	1.1600E-4	0.0096	0	<LOQ	Spiromesifen	2.9100E-4	0.0096	12	<LOQ
Etoxazole	5.7000E-4	0.0096	1.5	<LOQ	Spirotetramat	1.4100E-4	0.0096	13	<LOQ
Fenhexamid	1.0110E-3	0.0096	10	<LOQ	Spiroxamine	1.1900E-4	0.0096	0	<LOQ
Fenoxycarb	1.6900E-4	0.0096	0	<LOQ	Tebuconazole	1.3400E-4	0.0096	2	<LOQ
Fenpyroximate	1.3900E-4	0.0096	2	<LOQ	Thiacloprid	3.9700E-4	0.0096	0	<LOQ
Fipronil	6.0500E-4	0.0096	0.1	<LOQ	Thiamethoxam	1.0400E-4	0.0096	4.5	<LOQ
Flonicamid	1.2800E-4	0.0096	2	<LOQ	Trifloxystrobin	8.8000E-5	0.0096	30	<LOQ
Fludioxonil	5.2100E-4	0.0096	30	<LOQ					


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

