

Certificate of Analysis

Produced: Nov 14, 2025

Sample: St. Rains OG Mango (Edible Liquid) • Client: Urban Artifact • Batch: Pass



Batch No.: STR103025
Matrix: Edible Liquid
Density: 0.97778 g/ml
Sample ID: ICC-251107-41-001
Collected on: Nov 10, 2025
Received on: Nov 10, 2025
Sample Size:
Package Size: 347.13 g

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass	Water Activity	Tested

Cannabinoid Overview

Total THC:	4.51 mg/pkg
Total CBD:	9.55 mg/pkg
Total Cannabinoids:	14.1 mg/pkg
Sum of Cannabinoids:	14.1 mg/pkg

POT-INST-005: POT-INST-005: Potency • Nov 14, 2025

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBC		ND	ND	0.00108/0.00324	N/A	CBT		ND	ND	0.000468/0.00163	N/A
CBD	9.55	0.00275	0.0269	0.000330/0.00163	N/A	Δ ⁸ -THC		ND	ND	0.000265/0.00163	N/A
CBDA		ND	ND	0.000790/0.00237	N/A	Δ ⁹ -THC	4.51	0.00130	0.0127	0.000437/0.00163	N/A
CBDV		ND	ND	0.000262/0.00163	N/A	THCA		ND	ND	0.000600/0.00180	N/A
CBG		ND	ND	0.000373/0.00163	N/A	THCV		ND	ND	0.000202/0.00163	N/A
CBGA		ND	ND	0.000582/0.00175	N/A	Total THC**	4.51	0.00130	0.0127		
CBL		ND	ND	0.000258/0.00163	N/A	Total CBD**	9.55	0.00275	0.0269		
CBN		ND	ND	0.000373/0.00163	N/A	Total Cannabinoids**	14.1	0.00405	0.0396		

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Nov 11, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.167/0.509	Pass	Hexane	290	ND	0.0660/0.281	Pass
Acetone	5000	< LOQ	17.1/51.2	Pass	Isopropyl alcohol	5000	ND	1.28/3.84	Pass
Acetonitrile	410	ND	0.120/0.359	Pass	Methanol	3000	38.4	2.97/8.92	Pass
Benzene	1	ND	0.0210/0.0639	Pass	Methylene chloride	1	ND	0.127/0.729	Pass
Butane	5000	ND	0.971/4.85	Pass	Pentane	5000	ND	0.962/4.27	Pass
Chloroform	1	ND	0.0360/0.108	Pass	Propane	5000	ND	4.43/13.3	Pass
Ethanol	5000	451	2.61/7.84	Pass	Toluene	890	ND	0.0880/0.864	Pass
Ethyl acetate	5000	ND	0.313/2.29	Pass	Trichloroethylene	1	ND	0.0180/0.145	Pass
Ethylene oxide	1	ND	0.153/0.579	Pass	o-Xylene		ND	0.101/0.857	N/A
Ethyl ether	5000	ND	1.18/3.55	Pass	p- and m-Xylene		ND	0.115/1.72	N/A
Heptane	5000	ND	0.687/2.86	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Nov 11, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Additional Heavy Metals Testing by ICP-MS • Nov 11, 2025

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Antimony		ND	0.00695/0.0208	N/A	Copper		0.0501	0.0109/0.0326	N/A
Chromium		ND	0.00926/0.0278	N/A	Nickel		0.0157	0.00517/0.0155	N/A

Petrifilm-Listeria • Nov 12, 2025

Analyte	Limit	Amt	Pass/Fail
Listeria spp.		ND	N/A

MICR-002: MICR-002: Petrifilm-Coliforms • Nov 12, 2025

Analyte	Limit	Amt (CFU/g)	Pass/Fail
Coliforms		ND	N/A

Petrifilm-Enterobacteriaceae • Nov 12, 2025

Analyte	Limit	Amt	Pass/Fail
Enterobacteriaceae		ND	N/A

MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (inhalable) • Nov 12, 2025

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Aspergillus flavus		ND	N/A	Aspergillus terreus		ND	N/A
Aspergillus fumigatus		ND	N/A	Salmonella spp.	Any amt in 1 gram	ND	Pass
Aspergillus niger		ND	N/A	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Nov 13, 2025

Analyte	Limit	Amt	Pass/Fail
Yeast & Mold		ND	N/A

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Nov 12, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A	Aflatoxin G2		ND	1.89/5.72	N/A
Aflatoxin B2		ND	2.04/6.18	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.97/8.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass



PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Nov 12, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Nov 12, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Methomyl	0.1	ND	0.0158/0.0479	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Bifenazoyl	5	ND	0.0115/0.0349	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Boscalid	10	ND	0.0197/0.0596	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Pyrethrins Cinerin I		ND		N/A
Diazinon	0.2	ND	0.00645/0.0300	Pass	Pyrethrins Cinerin II		ND		N/A
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Pyrethrins Jasmolin I		ND		N/A
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins Jasmolin II		ND		N/A
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Flonicamid	2	ND	0.0268/0.0811	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fludioxonil	30	ND	0.0153/0.0464	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Imazalil	Any amt	ND	0.0156/0.0474	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Malathion	5	ND	0.0117/0.0354	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Metalaxyl	15	ND	0.0101/0.0306	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass



PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: ICAL Pesticides by GC-MS/MS • Nov 12, 2025

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
2,3,5,6-Tetrachloroaniline		ND	0.0110/0.0340	N/A	Fluazifop-P-butyl		ND	0.0210/0.0630	N/A
3,4-Dichloroaniline		ND	0.105/0.315	N/A	Fluchloralin		ND	0.0310/0.0930	N/A
4,4'-Dichlorobenzophenone		ND	0.0220/0.0650	N/A	Flucythrinate 1		ND	0.0170/0.0520	N/A
4,4'-Methoxychlor olefin		ND	0.0210/0.0640	N/A	Flucythrinate 2		ND	0.0130/0.0400	N/A
Acetochlor		ND	0.0290/0.0880	N/A	Fluvalinate		ND	0.0120/0.0370	N/A
Alachlor		ND	0.0330/0.100	N/A	Folpet		ND	0.0230/0.0690	N/A
Aldrin		ND	0.0240/0.0730	N/A	Fonofos		ND	0.0200/0.0590	N/A
Allidochlor		ND	0.0180/0.0530	N/A	γ-BHC		ND	0.0220/0.0650	N/A
α-BHC		ND	0.0200/0.0600	N/A	Heptachlor		ND	0.0520/0.157	N/A
Anthraquinone		ND	0.0200/0.0600	N/A	Heptachlor epoxide		ND	0.0330/0.0980	N/A
Benfluralin		ND	0.0220/0.0670	N/A	Hexachlorobenzene		ND	0.0290/0.0880	N/A
β-BHC		ND	0.0280/0.0830	N/A	Iodofenphos		ND	0.0260/0.0780	N/A
Biphenyl		ND	0.0220/0.0660	N/A	Isazophos		ND	0.0140/0.0420	N/A
Bromophos-ethyl		ND	0.0200/0.0610	N/A	Isodrin		ND	0.0630/0.189	N/A
Bromophos-methyl		ND	0.0280/0.0850	N/A	Isopropalin		ND	0.0280/0.0830	N/A
Bromopropylate		ND	0.0150/0.0460	N/A	Metazachlor		ND	0.0240/0.0720	N/A
Carbophenothion		ND	0.0190/0.0560	N/A	Methacrifos		ND	0.0130/0.0400	N/A
Carfentrazone ethyl		ND	0.0100/0.0400	N/A	Metolachlor		ND	0.0200/0.0590	N/A
Chlorbenside		ND	0.0130/0.0380	N/A	MGK-264 I		ND	0.0210/0.0630	N/A
Chlorfenson		ND	0.0210/0.0640	N/A	MGK-264 II		ND	0.0100/0.0310	N/A
Chlorobenzilate		ND	0.0150/0.0440	N/A	Nitrofen		ND	0.0150/0.0450	N/A
Chloroneb		ND	0.0110/0.0320	N/A	o,p'-DDT		ND	0.0180/0.0530	N/A
Chlorothalonil		ND	0.0210/0.0630	N/A	o-Phenylphenol		ND	0.0230/0.0700	N/A
Chlorpropham		ND	0.0230/0.0700	N/A	Oxadiazon		ND	0.0200/0.0600	N/A
Chlorpyrifos-methyl		ND	0.0200/0.0590	N/A	Oxyfluorfen		ND	0.0220/0.0650	N/A
Chlorthal-dimethyl		ND	0.0340/0.101	N/A	Pebulate		ND	0.0320/0.0960	N/A
Chlorthiophos 1		ND	0.0330/0.100	N/A	Pendimethalin		ND	0.0210/0.0640	N/A
Chlorthiophos 2		ND	0.0330/0.100	N/A	Pentachloroaniline		ND	0.0290/0.0860	N/A
Chlorthiophos 3		ND	0.0330/0.100	N/A	Pentachloroanisole		ND	0.0170/0.0510	N/A
Chlozinate		ND	0.0330/0.0980	N/A	Pentachlorobenzene		ND	0.0120/0.0370	N/A
cis-Bromfenvinphos-ethyl		ND	0.0200/0.0610	N/A	Pentachlorobenzonitrile		ND	0.0120/0.0360	N/A
cis-Diallate		ND	0.0140/0.0420	N/A	Pentachloroethioanisole		ND	0.00900/0.0260	N/A
Clomazone		ND	0.0210/0.0620	N/A	Phorate		ND	0.0140/0.0430	N/A
Cycloate		ND	0.0240/0.0720	N/A	Pirimiphos-ethyl		ND	0.0680/0.203	N/A
DDD o,p'		ND	0.0220/0.0660	N/A	Pirimiphos-methyl		ND	0.0300/0.0890	N/A
DDD p,p'		ND	0.0200/0.0610	N/A	Pretilachlor		ND	0.0230/0.0680	N/A
DDE o,p'		ND	0.0210/0.0640	N/A	Procymidone		ND	0.0140/0.0410	N/A
DDE p,p'		ND	0.0270/0.0810	N/A	Prodiamine		ND	0.0130/0.0380	N/A
DDT p,p'		ND	0.0190/0.0570	N/A	Profenofos		ND	0.0330/0.100	N/A
δ-BHC		ND	0.0250/0.0740	N/A	Profluralin		ND	0.0200/0.0610	N/A
Dichlobenil		ND	0.0190/0.0570	N/A	Propachlor		ND	0.0290/0.0870	N/A
Dichlofluanid		ND	0.0290/0.0860	N/A	Propanil		ND	0.0430/0.128	N/A
Dicloran		ND	0.0150/0.0450	N/A	Propisochlor		ND	0.0280/0.0840	N/A
Dieldrin		ND	0.0310/0.0940	N/A	Propyzamide		ND	0.0220/0.0650	N/A
Dimethachlor		ND	0.0230/0.0700	N/A	Prothiofos		ND	0.0210/0.0620	N/A
Diphenamid		ND	0.0220/0.0660	N/A	Pyraclofos		ND	0.0440/0.131	N/A
Diphenylamine		ND	0.0230/0.0700	N/A	Quinalphos		ND	0.0450/0.136	N/A
Disulfoton		ND	0.0280/0.0840	N/A	Sulfotep		ND	0.0260/0.0780	N/A
Endosulfan ether		ND	0.0210/0.0640	N/A	Sulprofos		ND	0.0220/0.0670	N/A
Endosulfan I		ND	0.0260/0.0790	N/A	Tecnazene		ND	0.0150/0.0440	N/A
Endosulfan II		ND	0.0520/0.157	N/A	Tefluthrin		ND	0.0190/0.0570	N/A
Endosulfan sulfate		ND	0.0450/0.136	N/A	Terbufos		ND	0.0160/0.0480	N/A
Endrin		ND	0.0490/0.146	N/A	Terbuthylazine		ND	0.0620/0.186	N/A
EPN		ND	0.0570/0.172	N/A	Tetrahydrophthalimide		ND	0.0180/0.0530	N/A
Ethalfuralin		ND	0.0220/0.0650	N/A	Tolclofos-methyl		ND	0.0150/0.0450	N/A
Ethylan		ND	0.0240/0.0720	N/A	Tolylfluanid		ND	0.0180/0.0550	N/A
Ethyl parathion		ND	0.0150/0.0460	N/A	trans-Chlorfenvinphos		ND	0.0310/0.0920	N/A
Etridiazole		ND	0.0170/0.0510	N/A	trans-Diallate		ND	0.00900/0.0260	N/A
Fenchlorphos		ND	0.0180/0.0530	N/A	Transfluthrin		ND	0.0290/0.0870	N/A
Fenitrothion		ND	0.0160/0.0480	N/A	Triallate		ND	0.0180/0.0550	N/A
Fenson		ND	0.0270/0.0800	N/A	Trifluralin		ND	0.0120/0.0360	N/A
Fenvalerate		ND	0.0110/0.0320	N/A	Vinclozolin		ND	0.0280/0.0850	N/A

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: ICAL Pesticides by LC-MS/MS • Nov 12, 2025

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
3-Hydroxycarbofuran		ND	0.0100/0.0400	N/A	Furathiocarb		ND	0.0100/0.0400	N/A
Acibenzolar-S-methyl		ND	0.100/0.400	N/A	Halofenozide		ND	1.00/4.00	N/A
Alanycarb		ND	1.00/3.00	N/A	Hexaconazole		ND	0.00900/0.0260	N/A
Aldicarb sulfone		ND	0.0500/0.200	N/A	Hexaflumuron		ND	1.00/4.00	N/A
Aldicarb sulfoxide		ND	0.0500/0.200	N/A	Hydramethylnon		ND	0.0100/0.0400	N/A
Allethrin		ND	0.0150/0.0300	N/A	Indoxacarb		ND	0.0500/0.200	N/A



DM

Ametryn	ND	1.00/3.00	N/A	Ipconazole	ND	0.100/0.400	N/A
Aminocarb	ND	0.0100/0.0400	N/A	Iprovalicarb	ND	0.0500/0.200	N/A
Amitraz	ND	1.00/3.00	N/A	Isocarbophos	ND	1.00/4.00	N/A
Atrazine	ND	0.00500/0.00500	N/A	Isoprocarb	ND	0.0400/0.160	N/A
Azadirachtin	ND	0.0300/0.0500	N/A	Isoproturon	ND	0.0100/0.0400	N/A
Benalaxyl	ND	0.100/0.400	N/A	Linuron	ND	0.100/0.400	N/A
Bendiocarb	ND	0.0100/0.0400	N/A	Lufenuron	ND	1.00/4.00	N/A
Benfuracarb	ND	1.00/3.00	N/A	Mandipropamid	ND	0.0100/0.0400	N/A
Benzovindiflupyr	ND	0.00500/0.00500	N/A	Mefenacet	ND	0.0100/0.0400	N/A
Benzoximate	ND	0.0500/0.200	N/A	Mepanipyrin	ND	0.0400/0.160	N/A
Bitertanol	ND	0.0600/0.240	N/A	Mepronil	ND	0.0100/0.0400	N/A
Bromuconazole	ND	0.0500/0.200	N/A	Mesotrione	ND	1.00/4.00	N/A
Bupirimate	ND	0.0600/0.240	N/A	Metaflumizone	ND	0.0100/0.0400	N/A
Buprofezin	ND	0.0150/0.0300	N/A	Metconazole	ND	0.0600/0.240	N/A
Butafenacil	ND	0.0300/0.120	N/A	Methabenzthiazuron	ND	0.0100/0.0400	N/A
Butocarboxim	ND	1.00/4.00	N/A	Methamidophos	ND	0.0100/0.0400	N/A
Butoxycarboxim	ND	0.0100/0.0400	N/A	Methoprene	ND	0.0250/0.0500	N/A
Carbendazim	ND	0.0100/0.0400	N/A	Methoprotryne	ND	0.0400/0.160	N/A
Carbetamide	ND	0.0100/0.0400	N/A	Methoxyfenozide	ND	0.0100/0.0400	N/A
Carboxin	ND	0.0500/0.200	N/A	Metribuzin	ND	0.100/0.400	N/A
Carfentrazone ethyl	ND	0.0100/0.0400	N/A	Mexacarbate	ND	0.0100/0.0400	N/A
Chlorfluazuron	ND	0.0250/0.100	N/A	Monocrotophos	ND	0.0500/0.200	N/A
Chlorotoluron	ND	0.0500/0.200	N/A	Monolinuron	ND	0.0100/0.0400	N/A
Chloroxuron	ND	0.0500/0.200	N/A	Moxidectin	ND	0.0200/0.0800	N/A
Clethodim	ND	0.0500/0.200	N/A	Neburon	ND	0.0500/0.200	N/A
Clothianidin	ND	0.00500/0.0100	N/A	Novaluron	ND	0.0100/0.0200	N/A
Cyantraniliprole	ND	0.00500/0.0100	N/A	Nuarimol	ND	0.0100/0.0400	N/A
Cyazofamid	ND	0.100/0.400	N/A	Omethoate	ND	0.0100/0.0400	N/A
Cycluron	ND	0.0100/0.0400	N/A	Oxadixyl	ND	0.0500/0.200	N/A
Cyhalothrin lambda	ND	0.0300/0.0500	N/A	Penconazole	ND	0.100/0.400	N/A
Cymoxanil	ND	0.100/0.400	N/A	Pencycuron	ND	1.00/4.00	N/A
Cyproconazole	ND	1.00/4.00	N/A	Phenmedipham	ND	1.00/4.00	N/A
Cyprodinil	ND	0.00500/0.0100	N/A	Phenothrin	ND	0.0150/0.0300	N/A
Cyromazine	ND	0.0500/0.200	N/A	Picoxystrobin	ND	0.0500/0.200	N/A
Δmethrin	ND	0.0250/0.0500	N/A	Pirimicarb	ND	0.00500/0.0100	N/A
Desmedipham	ND	0.0100/0.0400	N/A	Prochloraz	ND	0.0100/0.0400	N/A
Diclobutrazol	ND	0.100/0.400	N/A	Promecarb	ND	0.100/0.400	N/A
Dicrotophos	ND	0.0250/0.100	N/A	Prometryn	ND	0.0100/0.0400	N/A
Diethofencarb	ND	0.0100/0.0400	N/A	Propamocarb	ND	0.0100/0.0400	N/A
Difenoconazole	ND	0.0100/0.0400	N/A	Propargite	ND	0.100/0.400	N/A
Diflubenzuron	ND	0.0500/0.200	N/A	Propham	ND	1.00/4.00	N/A
Dimoxystrobin	ND	0.0100/0.0400	N/A	Prothioconazole	ND	1.00/4.00	N/A
Diniconazole	ND	0.100/0.400	N/A	Pymetrozine	ND	0.0100/0.0400	N/A
Dinotefuran	ND	0.0250/0.0500	N/A	Pyracarbolid	ND	0.0100/0.0400	N/A
Dioxacarb	ND	0.0250/0.100	N/A	Pyraclostrobin	ND	0.00500/0.0100	N/A
Diuron	ND	0.00500/0.0100	N/A	Pirimethanil	ND	0.0500/0.200	N/A
Dodemorph	ND	0.0100/0.0200	N/A	Pyriproxyfen	ND	0.00500/0.0100	N/A
Doramectin	ND	0.0250/0.100	N/A	Quinoxifen	ND	0.0100/0.0400	N/A
Epoxiconazole	ND	0.0100/0.0400	N/A	Resmethrin	ND	0.0250/0.0500	N/A
Eprinomectin	ND	0.100/0.400	N/A	Rotenone	ND	0.0100/0.0400	N/A
Etaconazole	ND	0.100/0.400	N/A	Siduron	ND	0.0500/0.200	N/A
Ethiofencarb	ND	0.0500/0.200	N/A	Simetryn	ND	0.0100/0.0400	N/A
Ethiprole	ND	0.0100/0.0400	N/A	Spirodiclofen	ND	0.0250/0.0500	N/A
Ethirimol	ND	0.0100/0.0400	N/A	Sulfentrazone	ND	0.100/0.400	N/A
Ethofumesate	ND	0.0100/0.0400	N/A	Sulfoxaflor	ND	0.00700/0.0210	N/A
Famoxadone	ND	1.00/4.00	N/A	Tebufenozide	ND	0.00500/0.0100	N/A
Fenamidone	ND	0.0200/0.0800	N/A	Tebufenpyrad	ND	1.00/4.00	N/A
Fenarimol	ND	0.0100/0.0400	N/A	Tebuthiuron	ND	0.0100/0.0400	N/A
Fenazaquin	ND	0.100/0.400	N/A	Teflubenzuron	ND	0.0100/0.0200	N/A
Fenbuconazole	ND	0.0100/0.0400	N/A	Terbutryn	ND	0.0400/0.160	N/A
Fenobucarb	ND	0.0100/0.0400	N/A	Tetrachlorvinphos	ND	0.00500/0.0100	N/A
Fenpropimorph	ND	0.0500/0.200	N/A	Tetraconazole	ND	0.100/0.400	N/A
Fensulfothion	ND	0.00500/0.0100	N/A	Tetramethrin	ND	0.0250/0.0500	N/A
Fenthion	ND	0.00227/0.00680	N/A	Thiabendazole	ND	0.00500/0.0100	N/A
Fenuron	ND	0.0500/0.200	N/A	Thidiazuron	ND	0.0500/0.200	N/A
Flubendiamide	ND	0.100/0.400	N/A	Thiobencarb	ND	1.00/4.00	N/A
Flufenacet	ND	0.0100/0.0400	N/A	Thiofanox	ND	1.00/4.00	N/A
Flufenoxuron	ND	0.0500/0.200	N/A	Thiophanate-methyl	ND	0.0100/0.0200	N/A
Fluometuron	ND	0.0100/0.0400	N/A	Triadimefon	ND	0.0100/0.0400	N/A
Fluopyram	ND	0.00500/0.00500	N/A	Triadimenol	ND	0.0100/0.0400	N/A
Fluoxastrobin	ND	0.0100/0.0400	N/A	Trichlorfon	ND	0.0400/0.160	N/A
Fluquinconazole	ND	0.0500/0.200	N/A	Tricyclazole	ND	0.0100/0.0400	N/A
Flusilazole	ND	0.100/0.400	N/A	Triflumizole	ND	0.0100/0.0400	N/A
Flutolanil	ND	0.0500/0.200	N/A	Triflumuron	ND	0.100/0.400	N/A
Flutriafol	ND	0.0100/0.0400	N/A	Triticonazole	ND	1.00/4.00	N/A
Forchlorfenuron	ND	0.0250/0.100	N/A	Vamidothion	ND	0.0100/0.0400	N/A
Formetanate HCl	ND	0.0200/0.0800	N/A	Zoxamide	ND	0.0100/0.0400	N/A
Fuberidazole	ND	0.0100/0.0400	N/A				



DM

Analyte	Limit	Amt (Aw)	Pass/Fail
Water Activity		0.929	N/A



A handwritten signature in black ink, appearing to be 'DM', located at the bottom right of the page next to the certification text.