



This is an amended version of report# 26-003330/D002.R000.

Reason: Updated client information.

Customer: Utokia Herb Co

Canby Oregon
 United States of America (USA)

Product identity: Live D9, Anytime, Sour Apple, 20mg VERSION 1

Material: Cannabinoid Edible

Laboratory ID: 26-003330-0001

Evidence of Cooling: No

Temp: 20.1 °C

Lot #: 3008.1NC_031626

Serving Size #1: 8 g

Sample Results

Potency					Method: J AOAC 2015 V98-6 (mod) ^b		Batch: 2602223		Analyzed: 03/20/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1					
					Result	Units	LOQ			
CBC	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBC-A	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBC-Total	< LOQ	%	0.0143		< LOQ	mg/8g	1.15			
CBD [±]	0.0123	%	0.0076		0.984	mg/8g	0.611			
CBD-A [±]	0.0319	%	0.0076		2.55	mg/8g	0.611			
CBD-Total [±]	0.0403	%	0.0143		3.22	mg/8g	1.15			
CBDV	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBDV-A	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBDV-Total	< LOQ	%	0.0143		< LOQ	mg/8g	1.14			
CBE	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBG	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBG-A	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBG-Total	< LOQ	%	0.0143		< LOQ	mg/8g	1.14			
CBL	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBL-A	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBL-Total	< LOQ	%	0.0143		< LOQ	mg/8g	1.15			
CBN	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
CBT	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
Δ10-THC-9R	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
Δ10-THC-9S	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
Δ10-THC-Total	< LOQ	%	0.0153		< LOQ	mg/8g	1.22			
Δ8-THC [±]	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
Δ8-THCV	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
Δ9-THC [±]	0.272	%	0.0076		21.8	mg/8g	0.611			
Δ9-THC-A [±]	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
Δ9-THC-Total [±]	0.272	%	0.0143		21.8	mg/8g	1.15			
Δ9-THCP	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
Δ9-THCV	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
Δ9-THCV-A	< LOQ	%	0.0076		< LOQ	mg/8g	0.611			
Δ9-THCV-Total	< LOQ	%	0.0143		< LOQ	mg/8g	1.14			



Potency	Method: J AOAC 2015 V98-6 (mod) ^b	Batch: 2602223	Analyzed: 03/20/26
----------------	---	-----------------------	---------------------------

Analyte	Result	Units	LOQ	Notes	Serving Size #1	Result	Units	LOQ
exo-THC	< LOQ	%	0.0076			< LOQ	mg/8g	0.611
Total Cannabinoids	0.316	%				25.3	mg/8g	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Salmonella spp. [±]	Negative		/25g		2602124	03/20/26 AOAC 2020.02 ^b		
EHEC including STEC [±]	Negative		/25g		2602125	03/20/26 AOAC 2020.06 ^b		

Solvents	Method: Residual Solvents by HS-GC-MS ^b	Units µg/g	Batch 2602170	Analyze: 03/20/26
-----------------	---	-------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [±]	< LOQ	380	100	pass		2-Butanol [±]	< LOQ	5000	200	pass	
2-Ethoxyethanol [±]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [±]	< LOQ		200		
2-Methylpentane [±]	< LOQ		30.0			2-Propanol (IPA) [±]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [±]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [±]	< LOQ		200		
2,3-Dimethylbutane [±]	< LOQ		30.0			3-Methylpentane [±]	< LOQ		30.0		
Acetone [±]	< LOQ	5000	200	pass		Acetonitrile [±]	< LOQ	410	100	pass	
Benzene [±]	< LOQ	2.00	1.00	pass		Butanes (sum) [±]	< LOQ	5000	400	pass	
Cyclohexane [±]	< LOQ	3880	200	pass		Ethyl acetate [±]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [±]	< LOQ	5000	200	pass	
Ethylene glycol [±]	< LOQ	620	200	pass		Ethylene oxide [±]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [±]	< LOQ	290	150	pass		Isopropyl acetate [±]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [±]	< LOQ	70.0	30.0	pass		m,p-Xylene [±]	< LOQ		200		
Methanol [±]	< LOQ	3000	200	pass		Methylene chloride [±]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [±]	< LOQ		200			n-Butane [±]	< LOQ		200		
n-Heptane [±]	< LOQ	5000	200	pass		n-Hexane [±]	< LOQ		30.0		
n-Pentane [±]	< LOQ		200			o-Xylene [±]	< LOQ		200		
Pentanes (sum) [±]	< LOQ	5000	600	pass		Propane [±]	< LOQ	5000	200	pass	
Tetrahydrofuran [±]	< LOQ	720	100	pass		Toluene [±]	< LOQ	890	100	pass	
Total Xylenes [±]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 2602212	Analyze: 03/20/26
-------------------	--	--------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [±]	< LOQ	0.50	0.250	pass		Acephate [±]	< LOQ	0.40	0.200	pass	
Acequinocyl [±]	< LOQ	2.0	1.00	pass		Acetamiprid [±]	< LOQ	0.20	0.100	pass	
Aldicarb [±]	< LOQ	0.40	0.200	pass		Azoxystrobin [±]	< LOQ	0.20	0.100	pass	
Bifenazate [±]	< LOQ	0.20	0.100	pass		Bifenthrin [±]	< LOQ	0.20	0.100	pass	
Boscalid [±]	< LOQ	0.40	0.200	pass		Carbaryl [±]	< LOQ	0.20	0.100	pass	
Carbofuran [±]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [±]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [±]	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl [±]	< LOQ	0.20	0.100	pass	
Clofentezine [±]	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) [±]	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) [±]	< LOQ	1.0	0.500	pass		Daminozide [±]	< LOQ	1.0	0.500	pass	
Diazinon [±]	< LOQ	0.20	0.100	pass		Dichlorvos [±]	< LOQ	1.0	0.500	pass	
Dimethoate [±]	< LOQ	0.20	0.100	pass		Ethoprophos [±]	< LOQ	0.20	0.100	pass	
Etofenprox [±]	< LOQ	0.40	0.200	pass		Etoxazole [±]	< LOQ	0.20	0.100	pass	



Pesticides						Method: AOAC 2007.01 & EN 15662 (mod)		Units mg/kg		Batch 2602212		Analyze: 03/20/26	
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes		
Fenoxycarb [±]	< LOQ	0.20	0.100	pass		Fenpyroximate [±]	< LOQ	0.40	0.200	pass			
Fipronil [±]	< LOQ	0.40	0.200	pass		Flonicamid [±]	< LOQ	1.0	0.400	pass			
Fludioxonil [±]	< LOQ	0.40	0.200	pass		Hexythiazox [±]	< LOQ	1.0	0.400	pass			
Imazalil [±]	< LOQ	0.20	0.100	pass		Imidacloprid [±]	< LOQ	0.40	0.200	pass			
Kresoxim-methyl [±]	< LOQ	0.40	0.200	pass		Malathion [±]	< LOQ	0.20	0.100	pass			
Metalaxyl [±]	< LOQ	0.20	0.100	pass		Methiocarb [±]	< LOQ	0.20	0.100	pass			
Methomyl [±]	< LOQ	0.40	0.200	pass		MGK-264 [±]	< LOQ	0.20	0.100	pass			
Myclobutanil [±]	< LOQ	0.20	0.100	pass		Naled [±]	< LOQ	0.50	0.250	pass			
Oxamyl [±]	< LOQ	1.0	0.500	pass		Paclobutrazole [±]	< LOQ	0.40	0.200	pass			
Parathion-methyl [±]	< LOQ	0.20	0.100	pass		Permethrin [±]	< LOQ	0.20	0.100	pass			
Phosmet [±]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [±]	< LOQ	2.0	1.00	pass			
Prallethrin [±]	< LOQ	0.20	0.100	pass		Propiconazole [±]	< LOQ	0.40	0.200	pass			
Propoxur [±]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [±]	< LOQ	1.0	0.500	pass			
Pyridaben [±]	< LOQ	0.20	0.100	pass		Spinosad [±]	< LOQ	0.20	0.100	pass			
Spiromesifen [±]	< LOQ	0.20	0.100	pass		Spirotetramat [±]	< LOQ	0.20	0.100	pass			
Spiroxamine [±]	< LOQ	0.40	0.200	pass		Tebuconazole [±]	< LOQ	0.40	0.200	pass			
Thiacloprid [±]	< LOQ	0.20	0.100	pass		Thiamethoxam [±]	< LOQ	0.20	0.100	pass			
Trifloxystrobin [±]	< LOQ	0.20	0.100	pass									
Metals													
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method				Status	Notes		
Arsenic [±]	< LOQ	0.200	mg/kg	0.0181	2602232	03/23/26	AOAC 2013.06 (mod.) ^b				pass		
Cadmium [±]	< LOQ	0.200	mg/kg	0.0181	2602232	03/23/26	AOAC 2013.06 (mod.) ^b				pass		
Lead [±]	< LOQ	0.500	mg/kg	0.0181	2602232	03/23/26	AOAC 2013.06 (mod.) ^b				pass		
Mercury [±]	< LOQ	0.100	mg/kg	0.00906	2602232	03/23/26	AOAC 2013.06 (mod.) ^b				pass		
Mycotoxins													
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method				Status	Notes		
Aflatoxin B1 [±]	< LOQ		µg/kg	5.00	2602269	03/24/26	Mycotoxins by AOAC 2007.01						
Aflatoxin B2 [±]	< LOQ		µg/kg	5.00	2602269	03/24/26	Mycotoxins by AOAC 2007.01						
Aflatoxin G1 [±]	< LOQ		µg/kg	5.00	2602269	03/24/26	Mycotoxins by AOAC 2007.01						
Aflatoxin G2 [±]	< LOQ		µg/kg	5.00	2602269	03/24/26	Mycotoxins by AOAC 2007.01						
Ochratoxin A [±]	< LOQ	20.0	µg/kg	5.00	2602269	03/24/26	Mycotoxins by AOAC 2007.01				pass		
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		03/25/26	Mycotoxins by AOAC 2007.01 ^b				pass		



Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Threshold Note: OAR 333-007-0400

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% wt = $\mu\text{g/g}$ divided by 10,000

/25g = Per 25g

$\mu\text{g/g}$ = Microgram per gram

$\mu\text{g/kg}$ = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

mg/8g = Milligram per 8g

Approved Signatory



Derrick Tanner
General Manager




 Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2602170					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
1,4-Dioxane	ND	< 100		406	504	µg/g	80.6	60-120	
2,2-Dimethylbutane	ND	< 30		134	171	µg/g	78.4	60-120	
2,2-Dimethylpropane	ND	< 200		746	956	µg/g	78.0	60-120	
2,3-Dimethylbutane	ND	< 30		136	166	µg/g	81.9	60-120	
2-Butanol	ND	< 200		1240	1620	µg/g	76.5	60-120	
2-Ethoxyethanol	ND	< 30		134	165	µg/g	81.2	60-120	
2-methyl-1-propanol	ND	< 500		1110	1610	µg/g	68.9	50-150	
2-Methylbutane	ND	< 200		1200	1610	µg/g	74.5	60-120	
2-Methylpentane	ND	< 30		149	167	µg/g	89.2	60-120	
2-Propanol	ND	< 200		1260	1610	µg/g	78.3	60-120	
3-Methyl-1-butanol	ND	< 500		1080	1610	µg/g	67.1	50-150	
3-Methylpentane	ND	< 30		114	163	µg/g	69.9	60-120	
Acetone	ND	< 200		1310	1610	µg/g	81.4	60-120	
Acetonitrile	ND	< 100		382	506	µg/g	75.5	60-120	
Anisole	ND	< 500		1190	1630	µg/g	73.0	50-150	
Benzene	ND	< 1		0.836	1	µg/g	83.6	50-150	
Butane	ND	< 200		585	769	µg/g	76.1	60-120	
Butyl Acetate	ND	< 500		1010	1610	µg/g	62.7	50-150	
Carbon Tetrachloride	ND	< 1		0.912	1	µg/g	91.2	50-150	
Chlorobenzene	ND	< 1		0.956	1	µg/g	95.6	50-150	
Chloroform	ND	< 1		0.871	1	µg/g	87.1	50-150	
Cumene	ND	< 30		148	162	µg/g	91.4	60-120	
Cyclohexane	ND	< 200		1310	1610	µg/g	81.4	60-120	
Dichloromethane	ND	< 1		0.75	1	µg/g	75.0	50-150	
Ethanol	ND	< 200		1310	1620	µg/g	80.9	60-120	
Ethyl acetate	ND	< 200		1260	1620	µg/g	77.8	60-120	
Ethyl Ether	ND	< 200		1260	1610	µg/g	78.3	60-120	
Ethylbenzene	ND	< 200		835	969	µg/g	86.2	60-120	
Ethylene Glycol	ND	< 200		402	503	µg/g	79.9	60-120	
Ethylene Oxide	ND	< 1		0.935	1	µg/g	93.5	50-150	
Heptane	ND	< 200		1200	1610	µg/g	74.5	60-120	
Hexane	ND	< 30		130	166	µg/g	78.3	60-120	
Isobutane	ND	< 200		575	770	µg/g	74.7	60-120	
Isobutyl Acetate	ND	< 500		990	1610	µg/g	61.5	50-150	
Isopropyl Acetate	ND	< 200		1280	1610	µg/g	79.5	60-120	
m,p-Xylene	ND	< 200		876	994	µg/g	88.1	60-120	
Methanol	ND	< 200		1190	1620	µg/g	73.5	60-120	
N,N-dimethylacetamide	ND	< 150		314	497	µg/g	63.2	50-150	
o-Xylene	ND	< 200		855	981	µg/g	87.2	60-120	
Pentane	ND	< 200		1210	1610	µg/g	75.2	60-120	
Propane	ND	< 200		478	585	µg/g	81.7	60-120	
Propyl Acetate	ND	< 500		1010	1620	µg/g	62.3	50-150	
Sulfolane	ND	< 50		154	170	µg/g	90.6	50-150	
Tetrahydrofuran	ND	< 100		384	488	µg/g	78.7	60-120	
Toluene	ND	< 100		413	505	µg/g	81.8	60-120	
Trichloroethylene	ND	< 1		0.903	1	µg/g	90.3	50-150	



Revision: 2 Document ID: 7087

Legacy ID: CFL-E33Effective:

QC - Sample Duplicate
Sample ID: 26-003312-0001

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Carbon Tetrachloride	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chlorobenzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	321	303	200	µg/g	5.8	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm


 Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results
J AOAC 2015 V98-6 **Batch ID: 2602223**
Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0264	0.0264	%	100	80.0 - 120	Acceptable	
CBDV	2	0.0285	0.0283	%	101	80.0 - 120	Acceptable	
CBE	2	0.0306	0.0305	%	100	80.0 - 120	Acceptable	
CBDA	1	0.0319	0.0326	%	97.9	90.0 - 110	Acceptable	
CBGA	1	0.0339	0.0337	%	100	80.0 - 120	Acceptable	
CBG	1	0.0323	0.0324	%	99.7	80.0 - 120	Acceptable	
CBD	1	0.0311	0.0312	%	99.7	90.0 - 110	Acceptable	
THCV	2	0.0189	0.0181	%	104	80.0 - 120	Acceptable	
d8THCV	2	0.0290	0.0293	%	98.9	80.0 - 120	Acceptable	
THCVA	2	0.0346	0.0344	%	100	80.0 - 120	Acceptable	
CBN	1	0.0321	0.0318	%	101	80.0 - 120	Acceptable	
exo-THC	2	0.0260	0.0260	%	99.8	80.0 - 120	Acceptable	
d9THC	1	0.0329	0.0324	%	101	90.0 - 110	Acceptable	
d8THC	1	0.0324	0.0329	%	98.7	90.0 - 110	Acceptable	
9S-d10THC	1	0.0346	0.0348	%	99.6	80.0 - 120	Acceptable	
CBL	2	0.0236	0.0265	%	89.2	80.0 - 120	Acceptable	
9R-d10THC	1	0.0370	0.0371	%	99.7	80.0 - 120	Acceptable	
CBC	2	0.0294	0.0281	%	105	80.0 - 120	Acceptable	
THCA	1	0.0317	0.0323	%	98.3	90.0 - 110	Acceptable	
CBCA	2	0.0272	0.0270	%	101	80.0 - 120	Acceptable	
CBLA	2	0.0276	0.0277	%	99.7	80.0 - 120	Acceptable	
d9THCP	2	0.0267	0.0263	%	102	80.0 - 120	Acceptable	
CBT	2	0.0276	0.0281	%	98.0	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBDV	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBE	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBDA	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBGA	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBG	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBD	<LOQ	0.00806	%	< 0.00806	Acceptable	
THCV	<LOQ	0.00806	%	< 0.00806	Acceptable	
d8THCV	<LOQ	0.00806	%	< 0.00806	Acceptable	
THCVA	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBN	<LOQ	0.00806	%	< 0.00806	Acceptable	
exo-THC	<LOQ	0.00806	%	< 0.00806	Acceptable	
d9THC	<LOQ	0.00806	%	< 0.00806	Acceptable	
d8THC	<LOQ	0.00806	%	< 0.00806	Acceptable	
9S-d10THC	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBL	<LOQ	0.00806	%	< 0.00806	Acceptable	
9R-d10THC	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBC	<LOQ	0.00806	%	< 0.00806	Acceptable	
THCA	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBCA	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBLA	<LOQ	0.00806	%	< 0.00806	Acceptable	
d9THCP	<LOQ	0.00806	%	< 0.00806	Acceptable	
CBT	<LOQ	0.00806	%	< 0.00806	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

J AOAC 2015 V98-6			Batch ID: 2602223					
Sample Duplicate			Sample ID: 26-003237-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00766	%	NA	< 10	Acceptable	
CBGA	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBD	0.264	0.262	0.00766	%	0.647	< 10	Acceptable	
THCV	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
d9THC	0.0807	0.0787	0.00766	%	2.46	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.00766	%	NA	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBC	0.0124	0.0123	0.00766	%	0.335	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00766	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00766	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent