



This is an amended version of report# 26-006037/D002.R000.

Reason: Updated client information.

Customer: Utokia Herb Co

Canby Oregon 97013
 United States of America (USA)

Product identity: Utokia Watermelon Live D9 x CBC Gummy, 20mg

Material: Cannabinoid Edible

Laboratory ID: 26-006037-0001

Evidence of Cooling: No

Temp: 19.3 °C

Lot #: 3615NC_051426

Serving Size #1: 8 g

Sample Results

Potency					Method: J AOAC 2015 V98-6 (mod) ^b		Batch: 2603982		Analyzed: 05/19/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1					
					Result	Units	LOQ			
CBC	0.0801	%	0.0069		6.41	mg/8g	0.555			
CBC-A	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
CBC-Total	0.0801	%	0.0130		6.41	mg/8g	1.04			
CBD [±]	0.00776	%	0.0069		0.621	mg/8g	0.555			
CBD-A [±]	0.00824	%	0.0069		0.659	mg/8g	0.555			
CBD-Total [±]	0.0150	%	0.0130		1.20	mg/8g	1.04			
CBDV	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
CBDV-A	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
CBDV-Total	< LOQ	%	0.0130		< LOQ	mg/8g	1.04			
CBE	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
CBG	0.0441	%	0.0069		3.53	mg/8g	0.555			
CBG-A	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
CBG-Total	0.0441	%	0.0130		3.53	mg/8g	1.04			
CBL	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
CBL-A	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
CBL-Total	< LOQ	%	0.0130		< LOQ	mg/8g	1.04			
CBN	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
CBT	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
Δ10-THC-9R	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
Δ10-THC-9S	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
Δ10-THC-Total	< LOQ	%	0.0139		< LOQ	mg/8g	1.11			
Δ8-THC [±]	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
Δ8-THCV	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
Δ9-THC [±]	0.268	%	0.0069		21.4	mg/8g	0.555			
Δ9-THC-A [±]	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
Δ9-THC-Total [±]	0.268	%	0.0130		21.4	mg/8g	1.04			
Δ9-THCP	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
Δ9-THCV	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
Δ9-THCV-A	< LOQ	%	0.0069		< LOQ	mg/8g	0.555			
Δ9-THCV-Total	< LOQ	%	0.0130		< LOQ	mg/8g	1.04			



Potency	Method: J AOAC 2015 V98-6 (mod) ^b	Batch: 2603982	Analyzed: 05/19/26
----------------	---	-----------------------	---------------------------

Analyte	Result	Units	LOQ	Notes	Serving Size #1	Result	Units	LOQ
exo-THC	< LOQ	%	0.0069			< LOQ	mg/8g	0.555
Total Cannabinoids	0.408	%				32.6	mg/8g	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Salmonella spp. [±]	Negative		/25g		2603893	05/19/26 AOAC 2020.02 ^b		
EHEC including STEC [±]	Negative		/25g		2603894	05/19/26 AOAC 2020.06 ^b		

Solvents	Method: Residual Solvents by HS-GC-MS ^b	Units µg/g	Batch 2603995	Analyze: 05/19/26
-----------------	---	-------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [±]	< LOQ	380	100	pass		2-Butanol [±]	< LOQ	5000	200	pass	
2-Ethoxyethanol [±]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [±]	< LOQ		200		
2-Methylpentane [±]	< LOQ		30.0			2-Propanol (IPA) [±]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [±]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [±]	< LOQ		200		
2,3-Dimethylbutane [±]	< LOQ		30.0			3-Methylpentane [±]	< LOQ		30.0		
Acetone [±]	< LOQ	5000	200	pass		Acetonitrile [±]	< LOQ	410	100	pass	
Benzene [±]	< LOQ	2.00	1.00	pass		Butanes (sum) [±]	< LOQ	5000	400	pass	
Cyclohexane [±]	< LOQ	3880	200	pass		Ethyl acetate [±]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [±]	< LOQ	5000	200	pass	
Ethylene glycol [±]	< LOQ	620	200	pass		Ethylene oxide [±]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [±]	< LOQ	290	150	pass		Isopropyl acetate [±]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [±]	< LOQ	70.0	30.0	pass		m,p-Xylene [±]	< LOQ		200		
Methanol [±]	< LOQ	3000	200	pass		Methylene chloride [±]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [±]	< LOQ		200			n-Butane [±]	< LOQ		200		
n-Heptane [±]	< LOQ	5000	200	pass		n-Hexane [±]	< LOQ		30.0		
n-Pentane [±]	< LOQ		200			o-Xylene [±]	< LOQ		200		
Pentanes (sum) [±]	< LOQ	5000	600	pass		Propane [±]	< LOQ	5000	200	pass	
Tetrahydrofuran [±]	< LOQ	720	100	pass		Toluene [±]	< LOQ	890	100	pass	
Total Xylenes [±]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 2604022	Analyze: 05/19/26
-------------------	--	--------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [±]	< LOQ	0.50	0.250	pass		Acephate [±]	< LOQ	0.40	0.200	pass	
Acequinocyl [±]	< LOQ	2.0	1.00	pass		Acetamiprid [±]	< LOQ	0.20	0.100	pass	
Aldicarb [±]	< LOQ	0.40	0.200	pass		Azoxystrobin [±]	< LOQ	0.20	0.100	pass	
Bifenazate [±]	< LOQ	0.20	0.100	pass		Bifenthrin [±]	< LOQ	0.20	0.100	pass	
Boscalid [±]	< LOQ	0.40	0.200	pass		Carbaryl [±]	< LOQ	0.20	0.100	pass	
Carbofuran [±]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [±]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [±]	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl [±]	< LOQ	0.20	0.100	pass	
Clofentezine [±]	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) [±]	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) [±]	< LOQ	1.0	0.500	pass		Daminozide [±]	< LOQ	1.0	0.500	pass	
Diazinon [±]	< LOQ	0.20	0.100	pass		Dichlorvos [±]	< LOQ	1.0	0.500	pass	
Dimethoate [±]	< LOQ	0.20	0.100	pass		Ethoprophos [±]	< LOQ	0.20	0.100	pass	
Etofenprox [±]	< LOQ	0.40	0.200	pass		Etoxazole [±]	< LOQ	0.20	0.100	pass	



Pesticides										
Method: AOAC 2007.01 & EN 15662 (mod)						Units mg/kg		Batch 2604022		Analyze: 05/19/26
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status
Fenoxycarb [±]	< LOQ	0.20	0.100	pass		Fenpyroximate [±]	< LOQ	0.40	0.200	pass
Fipronil [±]	< LOQ	0.40	0.200	pass		Flonicamid [±]	< LOQ	1.0	0.400	pass
Fludioxonil [±]	< LOQ	0.40	0.200	pass		Hexythiazox [±]	< LOQ	1.0	0.400	pass
Imazalil [±]	< LOQ	0.20	0.100	pass		Imidacloprid [±]	< LOQ	0.40	0.200	pass
Kresoxim-methyl [±]	< LOQ	0.40	0.200	pass		Malathion [±]	< LOQ	0.20	0.100	pass
Metalaxyl [±]	< LOQ	0.20	0.100	pass		Methiocarb [±]	< LOQ	0.20	0.100	pass
Methomyl [±]	< LOQ	0.40	0.200	pass		MGK-264 [±]	< LOQ	0.20	0.100	pass
Myclobutanil [±]	< LOQ	0.20	0.100	pass		Naled [±]	< LOQ	0.50	0.250	pass
Oxamyl [±]	< LOQ	1.0	0.500	pass		Paclobutrazole [±]	< LOQ	0.40	0.200	pass
Parathion-methyl [±]	< LOQ	0.20	0.100	pass		Permethrin [±]	< LOQ	0.20	0.100	pass
Phosmet [±]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [±]	< LOQ	2.0	1.00	pass
Prallethrin [±]	< LOQ	0.20	0.100	pass		Propiconazole [±]	< LOQ	0.40	0.200	pass
Propoxur [±]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [±]	< LOQ	1.0	0.500	pass
Pyridaben [±]	< LOQ	0.20	0.100	pass		Spinosad [±]	< LOQ	0.20	0.100	pass
Spiromesifen [±]	< LOQ	0.20	0.100	pass		Spirotetramat [±]	< LOQ	0.20	0.100	pass
Spiroxamine [±]	< LOQ	0.40	0.200	pass		Tebuconazole [±]	< LOQ	0.40	0.200	pass
Thiacloprid [±]	< LOQ	0.20	0.100	pass		Thiamethoxam [±]	< LOQ	0.20	0.100	pass
Trifloxystrobin [±]	< LOQ	0.20	0.100	pass						

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic [±]	< LOQ	0.200	mg/kg	0.0154	2603963	05/19/26 AOAC 2013.06 (mod.) ^b	pass	
Cadmium [±]	< LOQ	0.200	mg/kg	0.0154	2603963	05/19/26 AOAC 2013.06 (mod.) ^b	pass	
Lead [±]	< LOQ	0.500	mg/kg	0.0154	2603963	05/19/26 AOAC 2013.06 (mod.) ^b	pass	
Mercury [±]	< LOQ	0.100	mg/kg	0.00772	2603963	05/19/26 AOAC 2013.06 (mod.) ^b	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 [±]	< LOQ		µg/kg	5.00	2604019	05/21/26 Mycotoxins by AOAC 2007.01		
Aflatoxin B2 [±]	< LOQ		µg/kg	5.00	2604019	05/21/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G1 [±]	< LOQ		µg/kg	5.00	2604019	05/21/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G2 [±]	< LOQ		µg/kg	5.00	2604019	05/21/26 Mycotoxins by AOAC 2007.01		
Ochratoxin A [±]	< LOQ	20.0	µg/kg	5.00	2604019	05/21/26 Mycotoxins by AOAC 2007.01	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		05/22/26 Mycotoxins by AOAC 2007.01 ^b	pass	

Notes:

Measurement of Uncertainty for D9 THC in edibles is +/- 7.5%.

**Abbreviations****Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.**Threshold Note:** OAR 333-007-0400

▷ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% wt = µg/g divided by 10,000

/25g = Per 25g

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

mg/8g = Milligram per 8g

Approved Signatory

Derrick Tanner
General Manager


 Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results
J AOAC 2015 V98-6 **Batch ID: 2603982**
Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0312	0.0307	%	102	80.0 - 120	Acceptable	
CBDV	2	0.0313	0.0305	%	103	80.0 - 120	Acceptable	
CBE	2	0.0332	0.0325	%	102	80.0 - 120	Acceptable	
CBDA	1	0.0332	0.0322	%	103	90.0 - 110	Acceptable	
CBGA	1	0.0346	0.0334	%	104	80.0 - 120	Acceptable	
CBG	1	0.0346	0.0335	%	103	80.0 - 120	Acceptable	
CBD	1	0.0317	0.0297	%	107	90.0 - 110	Acceptable	
THCV	2	0.0314	0.0305	%	103	80.0 - 120	Acceptable	
d8THCV	2	0.0348	0.0342	%	102	80.0 - 120	Acceptable	
THCVA	2	0.0301	0.0289	%	104	80.0 - 120	Acceptable	
CBN	1	0.0328	0.0313	%	105	80.0 - 120	Acceptable	
exo-THC	2	0.0301	0.0295	%	102	80.0 - 120	Acceptable	
d9THC	1	0.0323	0.0309	%	105	90.0 - 110	Acceptable	
d8THC	1	0.0327	0.0325	%	101	90.0 - 110	Acceptable	
9S-d10THC	1	0.0356	0.0347	%	103	80.0 - 120	Acceptable	
CBL	2	0.0316	0.0304	%	104	80.0 - 120	Acceptable	
9R-d10THC	1	0.0377	0.0368	%	102	80.0 - 120	Acceptable	
CBC	2	0.0319	0.0316	%	101	80.0 - 120	Acceptable	
THCA	1	0.0345	0.0338	%	102	90.0 - 110	Acceptable	
CBCA	2	0.0323	0.0315	%	102	80.0 - 120	Acceptable	
CBLA	2	0.0321	0.0316	%	102	80.0 - 120	Acceptable	
d9THCP	2	0.0309	0.0304	%	102	80.0 - 120	Acceptable	
CBT	2	0.0319	0.0312	%	102	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBDV	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBE	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBDA	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBGA	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBG	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBD	<LOQ	0.00689	%	< 0.00689	Acceptable	
THCV	<LOQ	0.00689	%	< 0.00689	Acceptable	
d8THCV	<LOQ	0.00689	%	< 0.00689	Acceptable	
THCVA	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBN	<LOQ	0.00689	%	< 0.00689	Acceptable	
exo-THC	<LOQ	0.00689	%	< 0.00689	Acceptable	
d9THC	<LOQ	0.00689	%	< 0.00689	Acceptable	
d8THC	<LOQ	0.00689	%	< 0.00689	Acceptable	
9S-d10THC	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBL	<LOQ	0.00689	%	< 0.00689	Acceptable	
9R-d10THC	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBC	<LOQ	0.00689	%	< 0.00689	Acceptable	
THCA	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBCA	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBLA	<LOQ	0.00689	%	< 0.00689	Acceptable	
d9THCP	<LOQ	0.00689	%	< 0.00689	Acceptable	
CBT	<LOQ	0.00689	%	< 0.00689	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


 Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6			Batch ID: 2603982					
Sample Duplicate			Sample ID: 26-005991-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBDA	0.00913	0.00894	0.00705	%	2.03	< 10	Acceptable	
CBGA	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBD	0.00958	0.00952	0.00705	%	0.697	< 10	Acceptable	
THCV	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
d9THC	0.266	0.265	0.00705	%	0.174	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.00705	%	NA	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBC	0.0632	0.0636	0.00705	%	0.715	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00705	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00705	%	NA	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

Residual Solvents					Batch ID: 2603995				
Method Blank					Laboratory Control Sample				
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
1,1-Dichloroethane	ND	< 1		0.945	1	µg/g	94.5	50-150	
1,2-Dichloroethane	ND	< 1		0.908	1	µg/g	90.8	50-150	
1,2-Dichloroethene, trans-	ND	< 1		0.928	1	µg/g	92.8	50-150	
1,2-dimethoxyethane	ND	< 50		142	178	µg/g	79.8	50-150	
1,4-Dioxane	ND	< 100		341	522	µg/g	65.3	60-120	
2,2-Dimethylbutane	ND	< 30		151	178	µg/g	84.8	60-120	
2,2-Dimethylpropane	ND	< 200		705	956	µg/g	73.7	60-120	
2,3-Dimethylbutane	ND	< 30		131	175	µg/g	74.9	60-120	
2-Butanol	ND	< 200		1370	1630	µg/g	84.0	60-120	
2-Ethoxyethanol	ND	< 30		161	185	µg/g	87.0	60-120	
2-methyl-1-propanol	ND	< 500		1090	1610	µg/g	67.7	50-150	
2-Methylbutane	ND	< 200		1360	1620	µg/g	84.0	60-120	
2-Methylpentane	ND	< 30		125	172	µg/g	72.7	60-120	
2-Propanol	ND	< 200		1380	1620	µg/g	85.2	60-120	
3-Methyl-1-butanol	ND	< 500		1250	1610	µg/g	77.6	50-150	
3-Methylpentane	ND	< 30		131	172	µg/g	76.2	60-120	
Acetone	ND	< 200		1430	1640	µg/g	87.2	60-120	
Acetonitrile	ND	< 100		404	498	µg/g	81.1	60-120	
Anisole	ND	< 500		953	1630	µg/g	58.5	50-150	
Benzene	ND	< 1		0.78	1	µg/g	78.0	50-150	
Butane	ND	< 200		659	769	µg/g	85.7	60-120	
Cumene	ND	< 30		104	191	µg/g	54.5	60-120	Q6
Cyclohexane	ND	< 200		1090	1630	µg/g	66.9	60-120	
Dichloromethane	ND	< 1		0.845	1	µg/g	84.5	50-150	
Ethanol	ND	< 200		1300	1640	µg/g	79.3	60-120	
Ethyl acetate	ND	< 200		1370	1630	µg/g	84.0	60-120	
Ethyl Ether	ND	< 200		1260	1620	µg/g	77.8	60-120	
Ethyl Formate	ND	< 500		841	1620	µg/g	51.9	50-150	
Ethylbenzene	ND	< 200		656	991	µg/g	66.2	60-120	
Ethylene Glycol	ND	< 200		421	503	µg/g	83.7	60-120	
Ethylene Oxide	ND	< 1		0.812	1	µg/g	81.2	50-150	
Heptane	ND	< 200		1290	1630	µg/g	79.1	60-120	
Hexane	ND	< 30		147	189	µg/g	77.8	60-120	
Isobutane	ND	< 200		647	770	µg/g	84.0	60-120	
Isopropyl Acetate	ND	< 200		1340	1650	µg/g	81.2	60-120	
m,p-Xylene	ND	< 200		706	994	µg/g	71.0	60-120	
Methanol	ND	< 200		1460	1630	µg/g	89.6	60-120	
Methylisobutylketone	ND	< 500		1270	1620	µg/g	78.4	50-150	
MTBE	ND	< 500		1220	1610	µg/g	75.8	50-150	
N,N-dimethylformamide	ND	< 150		398	490	µg/g	81.2	50-150	
o-Xylene	ND	< 200		604	984	µg/g	61.4	60-120	
Pentane	ND	< 200		1370	1640	µg/g	83.5	60-120	
Propane	ND	< 200		504	585	µg/g	86.2	60-120	
Tetrahydrofuran	ND	< 100		369	516	µg/g	71.5	60-120	
Toluene	ND	< 100		329	514	µg/g	64.0	60-120	
Triethylamine	ND	< 500		1400	1610	µg/g	87.0	50-150	


 Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate
Sample ID: 26-005888-0001

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane, trans-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm