



This is an amended version of report# 26-004069/D002.R000.

Reason: Updated client information.

Customer: Utokia Herb Co

Canby Oregon
 United States of America (USA)

Product identity: Gummy, Live D9, Indica, Oregon Huckleberry, 20mg, V1

Material: Cannabinoid Edible

Laboratory ID: 26-004069-0001

Evidence of Cooling: No

Temp: 21.3 °C

Lot #: 3009.1NC_040126

Serving Size #1: 8 g

Sample Results

Potency					Method: J AOAC 2015 V98-6 (mod) ^b	Batch: 2602665		Analyzed: 04/06/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1				
					Result	Units	LOQ		
CBC	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
CBC-A	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
CBC-Total	< LOQ	%	0.0149		< LOQ	mg/8g	1.19		
CBD [±]	0.0110	%	0.0079		0.882	mg/8g	0.634		
CBD-A [±]	0.0112	%	0.0079		0.898	mg/8g	0.634		
CBD-Total [±]	0.0208	%	0.0149		1.66	mg/8g	1.19		
CBDV	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
CBDV-A	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
CBDV-Total	< LOQ	%	0.0148		< LOQ	mg/8g	1.18		
CBE	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
CBG	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
CBG-A	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
CBG-Total	< LOQ	%	0.0148		< LOQ	mg/8g	1.18		
CBL	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
CBL-A	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
CBL-Total	< LOQ	%	0.0149		< LOQ	mg/8g	1.19		
CBN	0.136	%	0.0079		10.9	mg/8g	0.634		
CBT	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
Δ10-THC-9R	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
Δ10-THC-9S	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
Δ10-THC-Total	< LOQ	%	0.0158		< LOQ	mg/8g	1.27		
Δ8-THC [±]	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
Δ8-THCV	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
Δ9-THC [±]	0.267	%	0.0079		21.4	mg/8g	0.634		
Δ9-THC-A [±]	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
Δ9-THC-Total [±]	0.267	%	0.0149		21.4	mg/8g	1.19		
Δ9-THCP	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
Δ9-THCV	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
Δ9-THCV-A	< LOQ	%	0.0079		< LOQ	mg/8g	0.634		
Δ9-THCV-Total	< LOQ	%	0.0148		< LOQ	mg/8g	1.18		



Potency	Method: J AOAC 2015 V98-6 (mod) ^b	Batch: 2602665	Analyzed: 04/06/26
----------------	---	-----------------------	---------------------------

Analyte	Result	Units	LOQ	Notes	Serving Size #1	Result	Units	LOQ
exo-THC	< LOQ	%	0.0079			< LOQ	mg/8g	0.634
Total Cannabinoids	0.425	%				34.0	mg/8g	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Salmonella spp. [±]	Negative		/25g		2602616	04/06/26 AOAC 2020.02 ^b		
EHEC including STEC [±]	Negative		/25g		2602617	04/06/26 AOAC 2020.06 ^b		

Solvents	Method: Residual Solvents by HS-GC-MS ^b	Units µg/g	Batch 2602708	Analyze: 04/06/26
-----------------	---	-------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [±]	< LOQ	380	100	pass		2-Butanol [±]	< LOQ	5000	200	pass	
2-Ethoxyethanol [±]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [±]	< LOQ		200		
2-Methylpentane [±]	< LOQ		30.0			2-Propanol (IPA) [±]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [±]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [±]	< LOQ		200		
2,3-Dimethylbutane [±]	< LOQ		30.0			3-Methylpentane [±]	< LOQ		30.0		
Acetone [±]	< LOQ	5000	200	pass		Acetonitrile [±]	< LOQ	410	100	pass	
Benzene [±]	< LOQ	2.00	1.00	pass		Butanes (sum) [±]	< LOQ	5000	400	pass	
Cyclohexane [±]	< LOQ	3880	200	pass		Ethyl acetate [±]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [±]	< LOQ	5000	200	pass	
Ethylene glycol [±]	< LOQ	620	200	pass		Ethylene oxide [±]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [±]	< LOQ	290	150	pass		Isopropyl acetate [±]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [±]	< LOQ	70.0	30.0	pass		m,p-Xylene [±]	< LOQ		200		
Methanol [±]	< LOQ	3000	200	pass		Methylene chloride [±]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [±]	< LOQ		200			n-Butane [±]	< LOQ		200		
n-Heptane [±]	< LOQ	5000	200	pass		n-Hexane [±]	< LOQ		30.0		
n-Pentane [±]	< LOQ		200			o-Xylene [±]	< LOQ		200		
Pentanes (sum) [±]	< LOQ	5000	600	pass		Propane [±]	< LOQ	5000	200	pass	
Tetrahydrofuran [±]	< LOQ	720	100	pass		Toluene [±]	< LOQ	890	100	pass	
Total Xylenes [±]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 2602678	Analyze: 04/06/26
-------------------	--	--------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [±]	< LOQ	0.50	0.250	pass		Acephate [±]	< LOQ	0.40	0.200	pass	
Acequinocyl [±]	< LOQ	2.0	1.00	pass		Acetamiprid [±]	< LOQ	0.20	0.100	pass	
Aldicarb [±]	< LOQ	0.40	0.200	pass		Azoxystrobin [±]	< LOQ	0.20	0.100	pass	
Bifenazate [±]	< LOQ	0.20	0.100	pass		Bifenthrin [±]	< LOQ	0.20	0.100	pass	
Boscalid [±]	< LOQ	0.40	0.200	pass		Carbaryl [±]	< LOQ	0.20	0.100	pass	
Carbofuran [±]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [±]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [±]	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl [±]	< LOQ	0.20	0.100	pass	
Clofentezine [±]	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) [±]	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) [±]	< LOQ	1.0	0.500	pass		Daminozide [±]	< LOQ	1.0	0.500	pass	
Diazinon [±]	< LOQ	0.20	0.100	pass		Dichlorvos [±]	< LOQ	1.0	0.500	pass	
Dimethoate [±]	< LOQ	0.20	0.100	pass		Ethoprophos [±]	< LOQ	0.20	0.100	pass	
Etofenprox [±]	< LOQ	0.40	0.200	pass		Etoxazole [±]	< LOQ	0.20	0.100	pass	



Pesticides						Method: AOAC 2007.01 & EN 15662 (mod)		Units mg/kg		Batch 2602678		Analyze: 04/06/26	
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes		
Fenoxycarb [⊥]	< LOQ	0.20	0.100	pass		Fenpyroximate [⊥]	< LOQ	0.40	0.200	pass			
Fipronil [⊥]	< LOQ	0.40	0.200	pass		Flonicamid [⊥]	< LOQ	1.0	0.400	pass			
Fludioxonil [⊥]	< LOQ	0.40	0.200	pass		Hexythiazox [⊥]	< LOQ	1.0	0.400	pass			
Imazalil [⊥]	< LOQ	0.20	0.100	pass		Imidacloprid [⊥]	< LOQ	0.40	0.200	pass			
Kresoxim-methyl [⊥]	< LOQ	0.40	0.200	pass		Malathion [⊥]	< LOQ	0.20	0.100	pass			
Metalaxyl [⊥]	< LOQ	0.20	0.100	pass		Methiocarb [⊥]	< LOQ	0.20	0.100	pass			
Methomyl [⊥]	< LOQ	0.40	0.200	pass		MGK-264 [⊥]	< LOQ	0.20	0.100	pass			
Myclobutanil [⊥]	< LOQ	0.20	0.100	pass		Naled [⊥]	< LOQ	0.50	0.250	pass			
Oxamyl [⊥]	< LOQ	1.0	0.500	pass		Paclobutrazole [⊥]	< LOQ	0.40	0.200	pass			
Parathion-methyl [⊥]	< LOQ	0.20	0.100	pass		Permethrin [⊥]	< LOQ	0.20	0.100	pass			
Phosmet [⊥]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [⊥]	< LOQ	2.0	1.00	pass			
Prallethrin [⊥]	< LOQ	0.20	0.100	pass		Propiconazole [⊥]	< LOQ	0.40	0.200	pass			
Propoxur [⊥]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [⊥]	< LOQ	1.0	0.500	pass			
Pyridaben [⊥]	< LOQ	0.20	0.100	pass		Spinosad [⊥]	< LOQ	0.20	0.100	pass			
Spiromesifen [⊥]	< LOQ	0.20	0.100	pass		Spirotetramat [⊥]	< LOQ	0.20	0.100	pass			
Spiroxamine [⊥]	< LOQ	0.40	0.200	pass		Tebuconazole [⊥]	< LOQ	0.40	0.200	pass			
Thiacloprid [⊥]	< LOQ	0.20	0.100	pass		Thiamethoxam [⊥]	< LOQ	0.20	0.100	pass			
Trifloxystrobin [⊥]	< LOQ	0.20	0.100	pass									
Metals													
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method		Status	Notes				
Arsenic [⊥]	< LOQ	0.200	mg/kg	0.0194	2602679	04/07/26	AOAC 2013.06 (mod.) ^b	pass					
Cadmium [⊥]	< LOQ	0.200	mg/kg	0.0194	2602679	04/07/26	AOAC 2013.06 (mod.) ^b	pass					
Lead [⊥]	< LOQ	0.500	mg/kg	0.0194	2602679	04/07/26	AOAC 2013.06 (mod.) ^b	pass					
Mercury [⊥]	< LOQ	0.100	mg/kg	0.00970	2602679	04/07/26	AOAC 2013.06 (mod.) ^b	pass					
Mycotoxins													
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method		Status	Notes				
Aflatoxin B1 [⊥]	< LOQ		µg/kg	5.00	2602689	04/08/26	Mycotoxins by AOAC 2007.01						
Aflatoxin B2 [⊥]	< LOQ		µg/kg	5.00	2602689	04/08/26	Mycotoxins by AOAC 2007.01						
Aflatoxin G1 [⊥]	< LOQ		µg/kg	5.00	2602689	04/08/26	Mycotoxins by AOAC 2007.01						
Aflatoxin G2 [⊥]	< LOQ		µg/kg	5.00	2602689	04/08/26	Mycotoxins by AOAC 2007.01						
Ochratoxin A [⊥]	< LOQ	20.0	µg/kg	5.00	2602689	04/08/26	Mycotoxins by AOAC 2007.01	pass					
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		04/09/26	Mycotoxins by AOAC 2007.01 ^b	pass					

**Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Threshold Note: OAR 333-007-0400

▷ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% wt = µg/g divided by 10,000

/25g = Per 25g

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

mg/8g = Milligram per 8g

Approved Signatory



Derrick Tanner
General Manager




Laboratory Quality Control Results
J AOAC 2015 V98-6 **Batch ID: 2602665**
Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0258	0.0260	%	99.2	80.0 - 120	Acceptable	
CBDV	2	0.0277	0.0279	%	99.5	80.0 - 120	Acceptable	
CBE	2	0.0301	0.0300	%	100	80.0 - 120	Acceptable	
CBDA	1	0.0245	0.0262	%	93.5	90.0 - 110	Acceptable	
CBGA	1	0.0262	0.0272	%	96.1	80.0 - 120	Acceptable	
CBG	1	0.0258	0.0269	%	95.9	80.0 - 120	Acceptable	
CBD	1	0.0238	0.0247	%	96.6	90.0 - 110	Acceptable	
THCV	2	0.0188	0.0179	%	105	80.0 - 120	Acceptable	
d8THCV	2	0.0275	0.0289	%	95.3	80.0 - 120	Acceptable	
THCVA	2	0.0339	0.0339	%	100	80.0 - 120	Acceptable	
CBN	1	0.0245	0.0254	%	96.6	80.0 - 120	Acceptable	
exo-THC	2	0.0257	0.0256	%	100	80.0 - 120	Acceptable	
d9THC	1	0.0255	0.0270	%	94.7	90.0 - 110	Acceptable	
d8THC	1	0.0234	0.0241	%	97.1	90.0 - 110	Acceptable	
9S-d10THC	1	0.0276	0.0284	%	97.2	80.0 - 120	Acceptable	
CBL	2	0.0292	0.0261	%	112	80.0 - 120	Acceptable	
9R-d10THC	1	0.0282	0.0297	%	94.9	80.0 - 120	Acceptable	
CBC	2	0.0259	0.0276	%	93.9	80.0 - 120	Acceptable	
THCA	1	0.0261	0.0278	%	93.8	90.0 - 110	Acceptable	
CBCA	2	0.0260	0.0266	%	98.1	80.0 - 120	Acceptable	
CBLA	2	0.0271	0.0272	%	99.7	80.0 - 120	Acceptable	
d9THCP	2	0.0259	0.0259	%	99.8	80.0 - 120	Acceptable	
CBT	2	0.0271	0.0277	%	98.1	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBDV	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBE	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBDA	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBGA	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBG	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBD	<LOQ	0.00776	%	< 0.00776	Acceptable	
THCV	<LOQ	0.00776	%	< 0.00776	Acceptable	
d8THCV	<LOQ	0.00776	%	< 0.00776	Acceptable	
THCVA	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBN	<LOQ	0.00776	%	< 0.00776	Acceptable	
exo-THC	<LOQ	0.00776	%	< 0.00776	Acceptable	
d9THC	<LOQ	0.00776	%	< 0.00776	Acceptable	
d8THC	<LOQ	0.00776	%	< 0.00776	Acceptable	
9S-d10THC	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBL	<LOQ	0.00776	%	< 0.00776	Acceptable	
9R-d10THC	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBC	<LOQ	0.00776	%	< 0.00776	Acceptable	
THCA	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBCA	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBLA	<LOQ	0.00776	%	< 0.00776	Acceptable	
d9THCP	<LOQ	0.00776	%	< 0.00776	Acceptable	
CBT	<LOQ	0.00776	%	< 0.00776	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

J AOAC 2015 V98-6			Batch ID: 2602665					
Sample Duplicate			Sample ID: 26-003968-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00788	%	NA	< 10	Acceptable	
CBGA	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.00788	%	NA	< 10	Acceptable	
THCV	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBN	0.101	0.104	0.00788	%	3.25	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
d9THC	0.175	0.181	0.00788	%	3.52	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.00788	%	NA	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBC	0.00800	0.00813	0.00788	%	1.65	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00788	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00788	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


 Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents					Batch ID: 2602708				
Method Blank					Laboratory Control Sample				
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
1,1-Dichloroethane	ND	< 1		0.925	1	µg/g	92.5	50-150	
1,4-Dioxane	ND	< 100		442	504	µg/g	87.7	60-120	
1-Pentanol	ND	< 500		1840	1620	µg/g	113.6	50-150	
2,2-Dimethylbutane	ND	< 30		142	171	µg/g	83.0	60-120	
2,2-Dimethylpropane	ND	< 200		650	956	µg/g	68.0	60-120	
2,3-Dimethylbutane	ND	< 30		137	166	µg/g	82.5	60-120	
2-Butanol	ND	< 200		1510	1620	µg/g	93.2	60-120	
2-Ethoxyethanol	ND	< 30		160	165	µg/g	97.0	60-120	
2-methyl-1-propanol	ND	< 500		1590	1610	µg/g	98.8	50-150	
2-Methylbutane	ND	< 200		1470	1610	µg/g	91.3	60-120	
2-Methylpentane	ND	< 30		151	167	µg/g	90.4	60-120	
2-Propanol	ND	< 200		1510	1610	µg/g	93.8	60-120	
3-Methylpentane	ND	< 30		134	163	µg/g	82.2	60-120	
Acetone	ND	< 200		1530	1610	µg/g	95.0	60-120	
Acetonitrile	ND	< 100		478	506	µg/g	94.5	60-120	
Benzene	ND	< 1		0.799	1	µg/g	79.9	50-150	
Butane	ND	< 200		507	769	µg/g	65.9	60-120	
Butyl Acetate	ND	< 500		1520	1610	µg/g	94.4	50-150	
Chlorobenzene	ND	< 1		0.875	1	µg/g	87.5	50-150	
Cumene	ND	< 30		146	162	µg/g	90.1	60-120	
Cyclohexane	ND	< 200		1420	1610	µg/g	88.2	60-120	
Dichloromethane	ND	< 1		0.763	1	µg/g	76.3	50-150	
DMSO	ND	< 500		1740	1630	µg/g	106.7	50-150	
Ethanol	ND	< 200		1570	1620	µg/g	96.9	60-120	
Ethyl acetate	ND	< 200		1520	1620	µg/g	93.8	60-120	
Ethyl Ether	ND	< 200		1470	1610	µg/g	91.3	60-120	
Ethylbenzene	ND	< 200		889	969	µg/g	91.7	60-120	
Ethylene Glycol	ND	< 200		457	503	µg/g	90.9	60-120	
Ethylene Oxide	ND	< 1		1.03	1	µg/g	103.0	50-150	
Heptane	ND	< 200		1510	1610	µg/g	93.8	60-120	
Hexane	ND	< 30		149	166	µg/g	89.8	60-120	
Isobutane	ND	< 200		495	770	µg/g	64.3	60-120	
Isobutyl Acetate	ND	< 500		1610	1610	µg/g	100.0	50-150	
Isopropyl Acetate	ND	< 200		1550	1610	µg/g	96.3	60-120	
m,p-Xylene	ND	< 200		908	994	µg/g	91.3	60-120	
Methanol	ND	< 200		1510	1620	µg/g	93.2	60-120	
Methylisobutylketone	ND	< 500		1510	1620	µg/g	93.2	50-150	
N,N-dimethylacetamide	ND	< 150		484	497	µg/g	97.4	50-150	
o-Xylene	ND	< 200		886	981	µg/g	90.3	60-120	
Pentane	ND	< 200		1490	1610	µg/g	92.5	60-120	
Propane	ND	< 200		429	585	µg/g	73.3	60-120	
Sulfolane	ND	< 50		120	170	µg/g	70.6	50-150	
Tetrahydrofuran	ND	< 100		421	488	µg/g	86.3	60-120	
Toluene	ND	< 100		449	505	µg/g	88.9	60-120	
Triethylamine	ND	< 500		1520	1610	µg/g	94.4	50-150	


 Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate
Sample ID: 26-003961-0001

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Chlorobenzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm